



OMNIMOUNT PLASMA & LARGE LCD UNIVERSAL WALL MOUNTS

Wall mounts for plasma displays up to 63" and 200lbs, available in black or silver, and with flat or tilting designs. For large LCD displays up to 50", adjustable cantilever arm mounts accept loads up to 150lbs.

ITEM	DESCRIPTION	PRICE
54FB-F-B	Universal mount for plasmas up to 63" & 175 lbs, flat, black.....	50.91
54FB-F-S	Universal mount for plasmas up to 63" & 175 lbs, flat, silver.....	66.57
54FB-T-B	Universal mount for plasmas up to 63" & 175 lbs, tilts +15° to -5°, black.....	66.21
54FB-T-S	Universal mount for plasmas up to 63" & 175 lbs, tilts +15° to -5°, silver.....	86.57
54FBHD-F-B	Universal heavy mount for plasmas up to 54" & 200 lbs, flat, black.....	76.40
54FBHD-F-S	Universal heavy mount for plasmas up to 54" & 200 lbs, flat, black.....	99.89
63FBHD-T-B	Universal heavy mount for plasmas up to 63" & 200 lbs, flat, black.....	127.34
63FBHD-T-S	Universal heavy mount for plasmas up to 63" & 200 lbs, flat, black.....	166.52
48ARMUA-B	Universal cantilever mount for LCD, fits screens up to 50" & 150 lbs., black.....	203.75
48ARMUA-S	Universal cantilever mount for LCD, fits screens up to 50" & 150 lbs., silver.....	266.43

peerless-AV

PEERLESS SMARTMOUNT® UNIVERSAL ARTICULATING ARM LCD FLAT PANEL MOUNTS

The SA752PU and SA761PU are also available in silver, just add -S to the model number.

ITEM	DESCRIPTION	PRICE
SA752PU	Articulating arm wall mount for 32"-52" screens, black.....	274.99
SA761PU	Articulating arm wall mount for 37"-63" screens, black.....	337.99
SA771PU	Dual-arm wall mount for 37" - 71" screens, black.....	448.99

PEERLESS SECURITY SMARTMOUNT™ UNIVERSAL FLAT/TILTING WALL MOUNTS

Universal wall mounts for plasma displays 32"-71". Includes theft-resistant hardware to attach screen to mount. Flat wall mount keeps screen close to wall for discrete installation. Tilting wall mount offers 15° forward and backward tilt. All models also available in silver, just add -S to the model number.

ITEM	DESCRIPTION	PRICE
SF660	For 32"-60" screens & holds up to 200lbs, black.....	81.99
SF670	For 42"-71" screens & holds up to 250lbs, black.....	111.99
ST660	Tilting wall mount for 32"-60" screens & holds up to 200lbs, black.....	112.99
ST670	Tilting wall mount for 42"-71" screens & holds up to 250lbs, black.....	123.99



PREMIER MOUNTS TILTING FLAT PANEL MOUNTS All models offer 12° of continuous tilt, Premier Mounts' Griplate™ system for secure placement, PANELock™ theft-resistance system, built-in lateral shift, and can be mounted to walls, floor stands, carts, and ceiling adapters. The CTM-MS1, CTM-MS3, & CTM-VESA have weight capacities of 160 lbs. The CTM-MS2 can hold up to 175 lbs, and the CTM-MS4 can hold up to 300 lbs.

ITEM	DESCRIPTION	PRICE
CTM-MS1	Tilting mount for 24"-36" flatscreens, 400x200mm mounting pattern ..	110.04
CTM-MS2	Tilting mount for 37"-63" flatscreens, 200x200mm - 800x505mm mounting pattern, w/hardware, cable/power box access.....	137.55
CTM-MS3	Tilting mount for 55"-68" flatscreens, 200x200mm - 900x735mm mounting pattern, w/hardware, cable/power box access.....	261.35
CTM-VESA	VESA tilting portrait/landscape mount for 26"-52" flatscreens, 75x75mm, 100x100mm, 200x100mm, 200x200mm mounting patterns, w/cable routing....	110.04

VMP LCD VESA STANDARD MOUNTS

Universal LCD mounts which are adjustable and configurable in a variety of ways to accommodate wall, ceiling and desk mounting. They are designed to work with LCD displays from 10" up to 21", which use a 75 or 100mm VESA standard mounting. LCD-1 is a universal wall mount which can be configured as a single arm, double arm articulating, or near flush mount with the parts provide and is available in black or silver. LCD-1C is a ceiling mount with a 17" to 27" telescoping mast, in silver. LCD-2 is a table/desk clamp-on or bolt-on mount in silver with a forward tilting arm. All mounts are designed to handle up to 25 lb. Displays, and have adjustable tilt of 5 to 30 degrees.

ITEM	DESCRIPTION	PRICE
LCD1	Wall mount with articulating arms, silver.....	43.36
LCD1B	Wall mount with articulating arms, black.....	43.36
LCD1C	Ceiling (pole) mount in silver.....	43.36
LCD2	Desk mount in silver.....	49.88

BenQ

BENQ PROFESSIONAL SERIES PROJECTORS

These models feature XGA (1024x768) resolution. They have a high 2000:1 contrast ratio, BrilliantColor™ technology for greater brightness in mid-tone hues, and HDTV compatibility. They project an image size of 35" to 300" and have a selectable 4:3/16:9 aspect ratio. They also include a RJ45 connection for Crestron LAN Control.



ITEM	DESCRIPTION	PRICE
SP870	XGA DLP projector, 5000lumens, 4:3/16:9 selectable.....	1799.00
SP920P	XGA DLP projector, 6000lumens, 4:3/16:9 selectable.....	2499.00

BENQ SH910 & SH960 LARGE VENUE DLP PROJECTORS


The SH910 is a Full HD, 1080p projector that features LAN control, compatible with Crestron, PJ-Link or SNMP, allowing for daily projector maintenance and repair to be performed over a network. This projector also cools at a faster rate than older BenQ projectors. Extra features for the SH960 include a dual lamp design, 2D keystone adjustment, a 1.5x zoom ratio, and horiz./vert. lens shift.



ITEM	DESCRIPTION	PRICE
SH910	WUXGA, 4000 lumens, 16:9 native, 3000:1 contrast ratio.....	1799.00
SH960	WUXGA, 5500 lumens, 16:9 native, 3000:1 contrast ratio.....	CALL

BENQ WIDESCREEN DLP PROJECTORS

These projectors are perfect for education and large venues. They have a high brightness of at least 4000 ANSI lumens and high contrast ratios. They support VGA (640x480) to WUXGA (1900x1200) resolutions, including 720p, 1080i and 1080p. The SP890 has an exceptionally high 16000:1 contrast ratio, while the SP840 has 3000:1.



ITEM	DESCRIPTION	PRICE
SP840	VGA/WUXGA DLP projector, 4000 lumens, full HD, widescreen..	1599.00
SP890	VGA/WUXGA DLP projector, 4000 lumens, full HD, widescreen..	2999.00

BENQ W6000 ENTERTAINMENT SERIES PROJECTOR

A 1080p home theater DLP projector. Featuring advanced BrilliantColor™ processing for boosted mid-tone colors and heightened brightness levels, 2500 lumens, and 50,000:1 high contrast ratio. It can project up to 300", has native 16:9 aspect ratio, and 2D keystone correction. It supports multiple video formats including 480p, 576p, 720p, 1080i and 1080p. Easily installed with horizontal+vertical lens shift, 1.5:1 zoom ratio, dual HDMI (v1.3) inputs, and Imaging Science Foundation Certified Calibration Configuration (ISFccc) for optimized performance customized to the consumer's home environment.



ITEM	DESCRIPTION	PRICE
W6000	1080P HD home theater projector, 2500lumens, 16:9/4:3 selectable.....	1999.00

INPUTS:



Go Wide and Bright with BenQ HD Projectors



BenQ

BenQ offers you a solid line-up of HD 1080p projectors to use in the classroom, boardroom or house of worship. The SH960 and SH910 project brilliant images even in the presence of ambient light. Be assured that you will be able to present in the latest video formats all in full HD quality. Get future-proofed. Get feature-loaded. Go wide and bright with BenQ's HD projectors.

BenQ has an array of projectors from short throw and ultra short throw to standard and high definition in various brightness levels and features. See your Full Compass representative to help you choose the right projector for your application.

Native Resolution
1080p (1920 x 1080)
Brightness
5500 ANSI lumens
Contrast Ratio
3000:1
Lens Shift

SH960
\$4,999.00 MAP



Native Resolution
1080p (1920 x 1080)
Brightness
4000 ANSI lumens
Contrast Ratio
3000:1
Built-in Speakers
Two 10W Speakers

SH910
\$1,799.00 MAP

FULL COMPASS
PRO AUDIO | VIDEO | AV | LIGHTING
MUSICAL INSTRUMENTS

800-356-5844
FULLCOMPASS.COM

Canon

CANON LV SERIES LCD PROJECTORS

These portable multimedia projectors can be installed in ceilings and feature easy-to-use control panels and onscreen menus.

The projectors' network capabilities and added security features make them great for use in corporate or educational environments. They feature a 2000:1 contrast ratio (500:1 on the 8310 model), 1.2x zoom lenses, digital keystone correction, closed captioning, whiteboard mode, and 7W speakers. The LV8310, with its 16:10 aspect ratio, is capable of displaying data from your widescreen laptop.



ITEM	DESCRIPTION	PRICE
LV7295	XGA LCD projector, 2600 lumens, 4:3 ratio native	599.00
LV7390	XGA LCD projector, 3000 lumens, 4:3 ratio native	699.00
LV8310	WXGA LCD projector, 3000 lumens, 16:10 ratio	926.16
LV-LP31	Replacement lamp	320.04
LV-CL15	Ceiling mount	386.48

CANON REALIS LCOS PROJECTORS

These projectors combine the brilliance and sharpness of innovative LCOS (Liquid Crystal On Silicon) technology with Canon's proprietary AISYS light engine technology. These bright, ultra-portable projectors feature up to 1000:1 contrast ratio, 40-300" screen size, powered zoom lens with auto focus, 4:3 aspect ratio, digital keystone, quiet operation, optional network operation capability, and up to 3000hrs extended operating lamp life in quiet mode.



ITEM	DESCRIPTION	PRICE
REALIS-SX60	SXGA+ projector, 2500lumens, 1000:1 contrast (2000:1 in home cinema mode)	2999.00
REALIS-SX7-MKII	SXGA+ projector, 4000lumens, 1000:1 contrast	CALL
REALIS-X700	XGA projector, 4000lumens, 1000:1 contrast	2799.00
RS-LP03	Replacement lamp for REALIS SX60	386.48
RS-LP04	Replacement lamp for REALIS SX7, X700	386.48
RS-LP05	Replacement lamp for REALIS SX800	386.48
RS-NA01	Network adapter	552.59

CANON REALIS WUX4000 LCOS PROJECTOR

This 4000 lumen WUXGA (1920x1200) installation projector uses Canon's AISYS-enhanced LCOS technology and interchangeable lenses (sold separately) to deliver crisp, clear images. Powered lens shift allows you to operate the WUX4000 in horizontal & vertical orientations. Additional features include a 16:10 aspect ratio, 1000:1 contrast ratio, an RJ-45 network connection for remote operation, built in speaker and full 10-bit color. The -D version offers a DICOM simulation mode for viewing digital X-rays, CAT scans, and MRIs.



ITEM	DESCRIPTION	PRICE
REALIS-WUX4000	WUXGA LCOS projector, 4000 lumens	CALL
REALIS-WUX4000-D	Same as above, but with DICOM simulation mode	CALL
RS-IL01ST	1.5x zoom lens	552.59
RS-IL02LZ	1.7x Long focus zoom lens	1992.20
RS-IL03WF	1.0x Ultra wide angle lens	1992.20
RS-LP06	Replacement lamp	386.48

Epson

EXCEED YOUR VISION

EPSON POWERLITE CLASSROOM PROJECTORS

These classroom-centric PowerLite projectors feature a 1.8x zoom lens, QuickCorner® image adjustment, closed-captioning, and horizontal/vertical lens shift. Comes with a power cable, VGA cable, a remote control & batteries, EasyMP® software, a lens lock screw, and more.



ITEM	DESCRIPTION	PRICE
POWERLITE-4100	XGA, 4500 lumens, 4:3, 1000:1 contrast ratio	1815.36
POWERLITE-4200W	WXGA, 4500 lumens, 16:10, 1000:1 contrast ratio	2216.12
POWERLITE-4300	XGA, 4200 lumens, 4:3, 1000:1 contrast ratio	2107.22
ELPLP63	Replacement projector lamp	458.38
V13H134A17	Replacement air filter	35.83

EPSON POWERLITE MULTIMEDIA/PRESENTATION PROJECTORS

These multimedia projectors are network-controllable and come with a power cord, VGA cable, remote control & batteries, and more.



ITEM	DESCRIPTION	PRICE
POWERLITE-93	XGA, 2400 lumens, 4:3, 2000:1 contrast ratio	692.60
POWERLITE-95	XGA, 2600 lumens, 4:3, 2000:1 contrast ratio	785.16
POWERLITE-96W	WXGA, 2700 lumens, 16:10, 2000:1 contrast ratio	890.80
POWERLITE-905	XGA, 3000 lumens, 4:3, 2000:1 contrast ratio	940.90
ELPLP60	Replacement projector lamp	246.79
V11H134A29	Replacement air filter	12.66

EPSON POWERLITE ULTRA PORTABLE PROJECTORS

All models feature 3LCD 3-chip optical engines, offer manual horizontal keystone (auto on the -1775W) and auto vertical keystone. The 1775W model also features auto screen fit, wireless monitor, control, and networking capabilities, and Quick Connect Wireless via USB key.



ITEM	DESCRIPTION	PRICE
POWERLITE-1760W	WXGA, 2600 lumens, 16:10, 2000:1 contrast ratio	861.40
POWERLITE-1770W	WXGA, 3000 lumens, 16:10, 2000:1 contrast ratio	958.32
POWERLITE-1775W	WXGA, 3000 lumens, 16:10, 2000:1 contrast ratio	1148.90
V13H134A31	Replacement air filter	12.84
ELPLP65	Replacement projector lamp	161.93

EPSON POWERLITE SHORT THROW PROJECTORS

Features 3LCD 3-chip technology, mic inputs, closed captioning, LAN connectivity for remote control and presentations, and compatibility with interactive whiteboards. Can project images as close as 24" away from the wall/screen, preventing shadow interference. JPEG slideshows can be projected without the use of a PC (via USB).



ITEM	DESCRIPTION	PRICE
POWERLITE-450W	WXGA, 2500 lumens, 16:10, 2000:1 contrast ratio	1488.66
POWERLITE-460	XGA, 3000 lumens, 4:3, 2000:1 contrast ratio	1488.66
V13H134A27	Replacement air filter set	11.90
ELPLP57	Replacement projector lamp	138.23

INPUTS:

RJ-45 DVI RGB D-Sub Component S-Video BNC 5-BNC RCA RCA Stereo Mini Stereo RS-232 RS-232 Mini HDMI USB Screen Trigger Wired Remote WIFI

AUDIO



COMPUTER AV



VIDEO



EPSON

EXCEED YOUR VISION

EPSON POWERLITE PRO Z SERIES PROJECTORS

Featuring high-aperture Epson 3-chip LCD technology, these PowerLite Pro Z Series models feature manual & auto keystone correction, remote-controllable motorized zoom, focus, and lens shift, closed captioning, and Quick Corner® independent image corner control. Lamp life ranges from 2500-3500hrs (normal-eco mode). Includes software for remote monitor and control for networked projectors.

ITEM	DESCRIPTION	PRICE
Z8000WUNL	WUXGA, 6000 lumens, 16:10, 5000:1 contrast ratio	CALL
Z8050WUNL	WXGA, 7000 lumens, 16:10, 5000:1 contrast ratio	CALL
V13H134A23	Replacement air filter	76.20
ELPLP51	Replacement projector lamp	423.48
ELPLP52	Replacement projector lamp, 2-pack	721.36
V12H004M06	Middle Throw Zoom Lens	2899.00
V12H004S04	Standard Lens	1399.00

EPSON POWERLITE PRO G SERIES PROJECTORS

The PowerLite Pro G Series projectors integrate with both IP and RS232 for easy remote monitoring, are controlled via Epson's Easy Management® software, and compatible with Crestron's RoomView. Also features DICOM simulation mode for medical training. All models are capable of projecting 2 side-by-side images from different inputs, or up to 4 images from network users.

ITEM	DESCRIPTION	PRICE
G5450WUNL	WUXGA, 4000 lumens, 16:10, 1500:1 contrast ratio	2107.22
G5750WUNL	WUXGA, 4500 lumens, 16:10, 1500:1 contrast ratio	2913.08
G5650WUNL	WXGA, 5200 lumens, 4:3, 2000:1 contrast ratio	1780.52
V13H134A17	Replacement air filter	35.83
ELPLP63	Replacement projector lamp	458.38
V12H004M04	Middle throw zoom lens	1899.00
V12H004S05	Standard zoom lens	1399.00

JVC

JVC 3D PROJECTORS

All models are 3D-capable (viewable with optional shutter glasses PKAG1BG and PK-EMI IR emitter) and feature a 120Hz Clear Motion Drive, a 16-step lens aperture, dual HDMI inputs, 80% vert./34% horiz. motorized lens shift, and 1.4:1-2.8:1 lens throw. 3D viewing capabilities also include the ability to project 3D Blu-Ray, side-by-side, and top-and-bottom images. The DLAX7 and DLAX9 models are THX certified and feature 99 custom screen-mode presets and multiple color profiles (rec.709/D65, Adobe, sRGB, etc.) The DLAX9 model comes with 2 pairs of active shutter 3D glasses and an IR emitter.

ITEM	DESCRIPTION	PRICE
DLAX3	1920x1080, 50,000:1 contrast ratio	CALL
DLAX7	1920x1080, 70,000:1 contrast ratio	CALL
DLAX9	1920x1080, 100,000:1 contrast ratio	CALL
PK-AG-1B	3D shutter glasses	179.95
PK-EMI	3D emitter	79.95

Quick Purchase: 800-476-9886

M-F: 8:30-5:30 CST

COMPASSXPRESS

FULLCOMPASS.COM

Full Service: 800-356-5844

M-F: 9:00-5:30 CST

FULL COMPASS

Optoma

OPTOMA PICO POCKET DLP® PROJECTORS

All models contain a rechargeable battery, an LED light source that lasts for over 20,000 hrs. of use, and a 2.5mm AV input jack (composite video & stereo audio). All come with a power adaptor, USB cable, RCA to 1/8" cable, VGA cable (except the PK101), and a bag. Tripod adapter included with PK101 & PK102.



TECH SPECS	PK101	PK102	PK201	PK301
IMAGE SIZE	6"-60"	6"-60"	5"-66"	5"-120"
PROJ. DISTANCE	10"-102"	10"-102"	10"-126"	8"-189"
RESOLUTION	N/A	Native HVGA (480x320)	Native WVGA (854x480)	Native WVGA (854x480)
MAX. RESOLUTION	N/A	SVGA (800x600)	1080i via HDMI	1080i via HDMI
THROW RATIO	1.9:1	1.9:1	2.2:1	1.8:1
CONTRAST RATIO	1000:01:00	2000:01:00	2000:01:00	2000:01:00
MICROSD CARD SLOT	No	No	Yes	Yes

ITEM	DESCRIPTION	PRICE
PK101	Pico projector w/USB in	179.00
PK102	Pico projector w/4GB internal memory	229.00
PK201	Pico projector w/USB, VGA, HDMI, & comp. vid./stereo audio inputs, 20 ANSI lumens	299.00
PK301	Pico projector w/USB, VGA, HDMI, & comp. vid./stereo audio inputs, 50 ANSI lumens	399.00

OPTOMA SHORT THROW PROJECTORS

The 3100 ANSI TW610ST can project 80" widescreen images from a distance of 3 ft., features a 10W speaker system, is 3D-capable up to 720p via DLP®Link™ technology (requires active LCD shutter glasses & computer w/3D graphics card), native WXGA (max. UXGA) resolution, and a 3000:1 contrast ratio. It can be remotely controlled via Crestron RoomView®. Outputs include 15-pin D-Sub & stereo audio. Includes remote control with batteries, power cord, VGA-VGA cable. TX610ST features same specs, features and accessories as the TW610ST, but projects a 72" image at a 3 ft. distance and has a native XGA resolution.



ITEM	DESCRIPTION	PRICE
TW610ST	3D-capable WXGA widescreen short throw projector	999.00
TX610ST	3D-capable XGA short throw projector	949.00

OPTOMA MULTIMEDIA PROJECTORS

All models have a native XGA (max. UXGA) resolution, a 3000:1 contrast ratio, and a 10W speaker system. Inputs include HDMI, 2 VGA, S-video, composite, 3 stereo audio, RJ45, RS-232 & USB. Stereo audio out and VGA out are found on all models. The TX542-3D & TX762 are 3D-capable when used with active LCD shutter glasses & a 3D graphics-ready computer.



ITEM	DESCRIPTION	PRICE
TX542-3D	2800 ANSI 3D-capable XGA data projector, 30"-307" image size	649.00
TX615	3500 ANSI XGA data projector, 27.5"-303" image size	799.00
TX762	4000 ANSI 3D-capable XGA data projector, 30"-307" image size	999.00

OPTOMA PROFESSIONAL SERIES PROJECTORS

Both models feature a 2000:1 contrast ratio, a standard lamp life of approx. 3000 hours, (2) +12V triggers, and (2) 3W speakers. Outputs include VGA & RCA audio. It is compatible with Crestron RoomView®. Capable of projecting 3D images with the use of active LCD shutter glasses & a 3D graphics-ready computer. Includes power cord, VGA-VGA cable, USB cable, and a remote control with batteries.



ITEM	DESCRIPTION	PRICE
TW775	3D-capable WXGA projector, 34.2"-200" image size	2999.00
TX785	3D-capable XGA projector, 36.8"-216" image size	2999.00

AUDIO



COMPUTER AV



Panasonic

PANASONIC PT-AE4000UHD HOME THEATER PROJECTOR

Features the newly engineered Red-Rich Lamp which produces brighter images, the advanced Pure Color Filter Pro system, and a full-HD optimized lens unit that assures uniform focusing balance across the screen. Offers a 1,000,000:1 contrast ratio and 1600 lumens of brightness. New signal processing technologies include Detail Clarity Processor 3 which optimizes sharpness lost in image compression and Frame Creation2 which improves the clarity of motion images. Other features include dynamic iris, Cinema Color Management, Split Adjust mode, remote-controllable lens shifting, and 2x optical power zoom & focus. Includes (3) HDMI inputs and (2) component inputs.

ITEM	DESCRIPTION	PRICE
PTAE4000U	HD home theater projector w/HDMI, component inputs	2549.00

PANASONIC PT-LB90, -LB2U, -LB3U LCD PROJECTORS

These lightweight LCD projectors feature Daylight View technology for clear images in bright surroundings, 3-5 second speed start, real-time keystone correction, direct power off (fan continues after unplugged), and easy lamp replacement. In Low Eco standby mode, power is reduced to less than 1W in order to save energy. The included short throw lens can project 33-300" (diagonally) from less than 30ft, and it has a contrast ratio of 500:1. All projectors include wireless remote control, VGA cable, and a carrying case. The network (PTLB90NTU) model includes Live mode (projected image is the same as on the PC screen) and Multi-Live mode (wirelessly connect with multiple PCs.) Other wireless functions include Wireless Prompter (Secondary Display Transmission), selective area transmission, and a 16-window index style that lets you project images from up to 16 PCs at the same time. Wireless transmission is possible from 1 PC to a maximum of 8 projectors at a time.

ITEM	DESCRIPTION	PRICE
PTLB2VU	XGA (4:3) 1024x768, 2600 lumens	627.00
PTLB3U	XGA (4:3) 1024x768, 3200 lumens	720.50
PTLB90U	XGA (4:3) 1024x768, 3500 lumens	1699.00
PTLB90NTU	XGA (4:3) 1024x768, 3500 lumens, wireless	1949.00
ETLAB80	Replacement lamp unit	316.20
ETPKB80	Ceiling mount bracket	365.80

PANASONIC INSTALLATION PROJECTORS

Both models feature a 2x manual zoom lens with horizontal/vertical lens shift, a replaceable 6000-hr. lamp, inorganic LCD panels, a dust-resistant cabinet, and a reusable Eco Filter that lasts up to 12,000 hours. Screen sizes range from 33"-300" diagonally, and both have contrast ratios of 600:1.

ITEM	DESCRIPTION	PRICE
PTFX400U	4000 lumens, XGA (1024x768), 4:3	1987.43
PTFW430U	3500 lumens, WXGA (1280x800), 16:10	2036.43
ETEMF100	Replacement filter unit	69.70
ETLAF100A	Replacement lamp unit	369.52
ETPKF110H	High ceiling mounting bracket	416.64
ETPKF110S	Low ceiling mounting bracket	388.12
ETWM200U	Wireless module	148.50

mack 2 YEARS PROJECTOR WARRANTY AUTHORIZED RESELLER

Panasonic

PANASONIC SINGLE-CHIP DLP™ PROJECTORS

The line-up features the PT-DZ6710U / DZ6700U with WUXGA high resolution (1920 x 1200) for projection of wide-screen images, the PT-DW6300US with WXGA resolution, and the 6,500 lumens rated PT-D6000US with XGA resolution. New and unique functions abound, such as the RGB Booster, which provides both vivid color reproduction and high brightness by combining our Vivid Color Control and Lamp Drive Modulation System. The Auto Cleaning Filter virtually eliminates the need for filter maintenance. All models feature a built-in Multi-screen Support System that includes Edge Blending, Color Matching and Multi-Screen Processor capabilities for projection of extra-large or multiple images. The PT-DZ6710U also incorporates built-in Geometric Adjustment technology, making it suitable for a variety of curved-screen applications and it is also equipped with an HD/SD-SDI input terminal.

ITEM	DESCRIPTION	PRICE
PTDZ6710U	6000lm, 1DLP, WUXGA Res (1,920 x 1,200), HD/SD-SDI	CALL
PTDZ6710UL	6000 Lumens, 1DLP, WUXGA Res (1,920 x 1,200), lens not included	CALL
PTDZ6700U	6000 Lumens, 1DLP, WUXGA Res (1,920 x 1,200)	CALL
PTDZ6700UL	6000 Lumens, 1DLP, WUXGA Res (1,920 x 1,200), lens not included	CALL
PTDW6300US	6000 Lumens, 1DLP, WXGA Res (1,280 x 800)	CALL
PTDW6300ULS	6000 Lumens, 1DLP, WXGA Res (1,280 x 800), lens not included	CALL
PTDW6300UK	6000 Lumens, 1DLP, WXGA Res (1,280 x 800)	CALL
PTDW6300ULK	6000 Lumens, 1DLP, WXGA Res (1,280 x 800), lens not included	CALL
PTD6000US	6500 Lumens, 1DLP, XGA Res (1,024 x 768)	CALL
PTD6000ULS	6500 Lumens, 1DLP, XGA Res (1,024 x 768), lens not included	CALL
PTD6000UK	6500 Lumens, 1DLP, XGA Res (1,024 x 768)	CALL
PTD6000ULK	6500 Lumens, 1DLP, XGA Res (1,024 x 768), lens not included	CALL

Accessories

ETLAD60A	Replacement lamp for PTD6000 Series	473.85
ETLAD60AW	Replacement lamp for PTD6000 Series twin pack	834.77
ETACF100	Replacement Auto Cleaning Filter	76.88
ETDLE150	1.3 - 2.0:1 power zoom lens	2000.10
ETDLE250	2.4 - 3.7:1 power zoom lens	2000.10
ETDLE350	3.7 - 5.6:1 power zoom lens	2000.10
ETDLE450	5.5 - 8.9:1 long throw power Zoom lens	2000.10
ETDLE055	0.8 fixed focal lens	2354.10
ETPKD56H	Ceiling mount bracket for PTD6000 Series	558.00
ETPKD55S	Ceiling mount bracket for PTD6000 Series	533.20

SANYO

SANYO ULTRAMOBILE ECONOMY PROJECTORS

These portable XGA (1028x768) or full widescreen (1280x800) models are equipped with wired or wireless networking interface. These projectors have an "Easy Setup Function" which includes Automatic Vertical Keystone Correction for screen distortion elimination, Auto Input Signal Search and an Input Guidance Function that assists in setting up the projection screen display. They feature a 7W speaker (except for PLCWXU700A), 40"-300" image size, 500:1 contrast ratio, and can be turned off without the need to cool down. The PLCWXU700A features HDMI, USB connectivity and high-speed 802.11n wireless LAN, with video streaming & Windows Vista Network Projector Function.

ITEM	DESCRIPTION	PRICE
PLCXX3010 / PLCXU350A	XGA (1024 x 768) projector, 3000 lumens, wired network interface	720.91
PLCXX3010A / PLCXU350A	XGA (1024 x 768) projector, 3000 lumens, wired/wireless network interface	1062.68
PLCXX3010A / PLCXU350A	XGA (1024 x 768) projector, 3500 lumens, wired network interface	834.43
PLCXX3010A / PLCXU350A	XGA (1024 x 768) projector, 3500 lumens, wired/wireless network interface	1169.48
PLCWXU700A	WXGA (1280 x 800) projector, 3800 lumens, wired/wireless network interface, HDMI	1594.85
610-345-2456	Optional lamp for PLC-WX250	132.35
610-343-2069	Optional lamp for PLC-XU300A/305A/355A	218.66
610-333-9740	Optional lamp for PLC-WXU700A	356.78
POA-PJNM01	Master software for PLC-WXU700A	1438.59

INPUTS:

RJ-45 DVI RGB D-Sub Component S-Video BNC 5-BNC RCA RCA Stereo Mini Stereo RS-232 RS-232 Mini HDMI USB Screen Trigger Wired Remote WIFI



Projecting Auditorium Solutions



PLC-ZM5000L

FREE on-site evaluation
of your current situation!



Give our experts at SANYO a call,
and we'll evaluate your current
presentation situation FREE.

**SANYO... the solution provider for the
most demanding auditorium needs.**

Are your presentations out of focus, fuzzy, hard to read, or just not bright enough? Maybe you are having trouble connecting to your current projector?

If you answered yes to any of these issues, give the Presentation Experts at SANYO a call and we will provide a FREE on-site no obligation evaluation of your current presentation situation! We will advise you of the common problems and errors and offer suggestions on how you can improve your presentation

Solutions like SANYO's PLC-ZM5000L, an ideal auditorium High Definition projector with 5,000 lumens, ensure bright beautiful big-screen projection. This projector also features a new optical engine with an Inorganic Liquid Crystal panel and Active Maintenance Filter (AMF) system for higher reliability and lower maintenance costs.



SANYO... Providing More Projector Solutions

Call today or visit our website for more information
on SANYO's full line of critically-acclaimed projectors.

©2010 SANYO North America Corporation. Trademarks and logos are copyrights of their respective owners.

AUDIO



SANYO

SANYO PLC-XP200L XGA PROJECTOR WITH QUADRIE

It features an optical engine that improves on conventional 3 LCD systems. By controlling the yellow light independently through a 4th LCD, color purity is increased by approximately 20% compared this projector's predecessor – the PLC-XP100. Its high-output single lamp system yields 7,000 lumens of brightness and it can be installed at any angle to allow ceiling or floor image projection. And a filter sensor automatically advances a clean filter surface when the existing one is dirty. Unit ships without a lens but uses standard XP series lenses. Call for more information about available lenses. The optional PJ-Net Organizer Plus II card enables management/control via a LAN, and monitoring function added by CMOS camera.



ITEM	DESCRIPTION	PRICE
PLCXP200L	QuadDrive (4LCD) engine, XGA (1024x768) projector, 7000 lumens, 2200:1 contrast ratio, no lens	CALL
POA-PN03C	Optional PJ-Net Organizer Plus II w/camera - no additional software required	517.89

SANYO PLC-WTC500AL WXGA MULTIMEDIA PROJECTOR

With WXGA (1280x800) projection, it is possible to project high-quality HD images from nearly any location. It offers an auto lamp selection system (2x 330W) that automatically chooses which lamp to use, making it maintenance-free for about 6000 hours. It offers easy maintenance with an Active Maintenance Filter (AMF) system up to 10,000 hours. It features Picture-in-Picture and Picture-by-Picture functions. Other features include vertical/horizontal lens shifting, keystone correction, 360° projection, and more. Outputs include a 3.5 mm stereo jack, a 15-pin D-Sub monitor out, & a 25-pin D-Sub for PJ-Net Organizer. Includes IR/cable remote control with laser pointer and mouse function, batteries, power cable, USB cable, D-Sub15 cable, & PIN code label.



ITEM	DESCRIPTION	PRICE
PLCWT500AL	WXGA projector, 5000 lumens, 3000:1 contrast, no lens	CALL
LNS-S11	Standard lens, 1.6 - 2.1 :1 throw ratio	552.42
LNS-W10	Wide zoom lens, 1.2 - 1.6 :1 throw ratio	1651.74
LNS-W11	Wide zoom lens, 0.8 :1 throw ratio	1872.71
LNS-T10	Long zoom lens, 2.1 : 3.4 :1 throw ratio	1651.74
LNS-T11	Long zoom lens, 3.4 - 5.4 :1 throw ratio	1872.71

SANYO PDGDHT-8000L FULL HD DLP MULTIMEDIA PROJECTOR

Designed to handle full HD (1920 x 1080) resolution image projection with attention to detail for demanding applications like design or CAD. They have a 16:9 aspect ratio and 7,500:1 contrast ratio. Other features include 24/7 lamp interval function for reducing lamp deterioration and active maintenance filter for cleaner, longer durability and dust-free optical engine. Includes rich color reproduction color wheel set, wireless (wired incl.) remote control, cable cover, removable power cord, D-sub computer cable, Real Color Manager Pro CD-ROM, lenshole cover, PIN code-locking seal. Choose from a number of Sanyo lenses (lens not included). Optional HD data wireless adapter (WLAN-module) enables wireless data transmission of up to 98ft.



ITEM	DESCRIPTION	PRICE
PDGDHT8000L	HD multimedia projector, 8000 lumens, no lens	CALL
POA-MD26HDWL	Optional HD data wireless receiver board	684.78
LNS-S51	Standard zoom, motorized zoom/focus, f2.0-f2.7 aperture, 38.5mm-60mm focal length	2204.16
LNS-T51	Ultra long zoom, motorized zoom/focus, f2.3-f3.2 aperture, 101.3mm-168.8mm focal length	CALL
LNS-W50	Wide-angle zoom, motorized zoom/focus, f2.0-f2.1 aperture, 31.9mm-38.3mm focal length	CALL

SANYO

PLCXM150L



SANYO PORTABLE MULTIMEDIA PROJECTORS One of the brightest family of projectors available, with interchangeable lenses, and featuring high quality images. The PLCXM100S is a 5000 lumen unit, while the PLCXM150S is 6000 lumens. Both models support true XGA (1024x768), and a 1000:1 contrast ratio. They have a throw distance of 4.3' to 75.1' and a projection image (diagonal) of 40" to 400". The PLCZM5000 is a 5000 lumen unit with WUXGA (1920x1200) resolution, 2000:1 contrast ratio. Other features for all models include horizontal/vertical keystone correction and horizontal/vertical lens shift. Outputs include D-sub for video and stereo mini jack for audio.

ITEM	DESCRIPTION	PRICE
PLCXM100S	5,000 lumen projector, 21.3 lbs	2995.00
PLCXM100L	5,000 lumen projector, without lens, 19.6 lbs	2595.00
PLCXM150S	6,000 lumen projector, 21.3 lbs	3458.43
PLCXM150L	6,000 lumen projector, without lens, 19.6 lbs	CALL
PLCZM5000L	5,000 lumen projector, without lens, 21.3 lbs	CALL
LNS-W21	Short fixed lens	1872.71
LNS-W20	Short zoom lens	1651.74
LNS-S20	Standard zoom lens (standard on PLC-XM100S/150S)	552.42
LNS-T20	Long zoom lens	1651.74



SANYO LARGE FIXED INSTALLATION PROJECTORS Features include very high brightness (multi-lamp system), digital progressive scan/signal processing for improved video detail, RS232 I/O and interchangeable lenses. Ideal for permanent installations in houses of worship, presentation/meeting halls, large conference rooms or multimedia centers. They also feature high-resolution imaging, remote control, power zoom/focus/tilt, USB port, PJ-Net Organizer option, and efficient lamp power management.

ITEM	DESCRIPTION	PRICE
PLCXF47	15,000 lumens, XGA (1024x768), 2000:1 contrast ratio, no lens	CALL
PLCXF1000	12,000 lumens, XGA (1024x768), 4000:1 contrast ratio, no lens	CALL
POA-MD13NET2	Optional PJ Net Organizer network module - no additional software required	402.80
LNS-T10	Long zoom lens option, power zoom, 2.12-3.39:1 throw ratio	1651.74
610-334-6267	Replacement lamp for PLCXF47	368.28
610-341-9497	Replacement lamp for PLCXF71/F1000	379.79

eBeam

LOOKING FOR INTERACTIVE WHITEBOARDS?

VISIT FULLCOMPASS.COM FOR MORE INFO



INPUTS:





When the show must go on, depend on Sony's new VPL-FH30 projector.

Introducing a workhorse projector that can handle nearly any venue.

Introducing the latest workhorse in a long line of outstanding projectors from Sony. Easy to integrate and install, the VPL-FH30 features native WUXGA resolution, 4,300 lumens color light output, centered lens, H&V shift for offset installation, and a wide variety of inputs. Its WUXGA resolution BrightEra® LCD panels make this projector a future-proofing choice, which is capable of displaying both native HD video signal and WUXGA computer signal. This projector can handle a wide range of installation options—from long-distance projection in large meeting rooms to mid- to small-sized classroom applications. With the use of versatile inputs including HDMI®, DVI-D and 5BNC connectors and advanced projection capabilities, this projector will not limit your proposal bandwidth to customers in various venues like education, government, corporate, house of worship, and hospitality

installations. It also helps customers from a budget point of view—now this HD product is available for the price of standard definition.

Designed to fit smoothly into almost any environment, the VPL-FH30 is ideal for high-end display applications. With its brightness, zoom, and throw range, coupled with a wide lens shift range, this outstanding projector performs superbly. Once installed, the VPL-FH30 has excellent image capabilities and a long lifespan that delivers low total cost of ownership. Sony's BrightEra® technology improves and maintains color purity throughout the life of the system by protecting the LCD panels against harmful ultraviolet light. When your show must go on, you can depend on this trouble-free projector from Sony.

More trouble-free features:

- Installation flexibility
 - x1.6 Standard lens covers 1.39 to 2.23 throw ratio
 - VPLL-Z1024 Option lens covers 2.34 to 3.19 throw ratio
 - VPLL-Z1032 Option lens covers 3.18 to 4.84 throw ratio
- Wide H/V lens shift range
 - Vertical: +60%
 - Horizontal: +/-32%
- Hassle-Free Maintenance
 - Synchronized lamp replacement and filter cleaning at 3,000/4,000 hours*
- Advanced projection features
 - Picture by picture function
 - Panel alignment function
 - DICOM GSDF simulation gamma mode (not for medical diagnosis)

This new projector delivers quality, convenience and performance. For more information on this Sony projector, please contact your Full Compass Sales Pro.

* Expected maintenance time, not guaranteed. Lamp and filter performance will vary based on operating environment and use.

SANYO

SANYO PLCZM5000 PORTABLE PROJECTOR

With an optical engine comprised of inorganic panels, this projector is well-suited for large meeting/conference rooms, lecture halls, digital signage applications, and more. Features a centered lens layout, powered lens shift (vertical, horizontal), powered zoom & focus, tilted installation (up to 360° vertically), corner keystone function, picture-in-picture, mechanical shutter system, auto input signal search, wired LAN network control, and more.

ITEM	DESCRIPTION	PRICE
PLCZM5000S	WUXGA, 5000 lumens, 16:10, 2000:1 contrast ratio	CALL
PLCZM5000L	Same as above, but w/out lens	CALL
610-346-9607	Replacement lamp for PLCZM5000	345.26
POA-FIL080	Replacement air filter	51.79

Lenses

LNS-W21	Short fixed lens	1872.71
LNS-W20	Short zoom lens	1651.74
LNS-S20	Standard zoom lens (comes with PLCZM5000S)	552.42
LNS-T20	Long zoom lens	1651.74
LNS-T21	Long zoom lens	1872.71



SONY

SONY MOBILE PROJECTORS

The VPL-DX projectors are ideal for meeting places and presentation. They feature a tough magnesium body, have a compact and lightweight design (4.3lbs), and are perfect for mobile and desktop usage. They feature 2500 to 3000 lumens, 3 LCD technology and XGA resolution.

ITEM	DESCRIPTION	PRICE
VPLDX11	XGA (1024x768) projector, 3000 ANSI lumens, USB, LAN	1089.00
VPLDX15	XGA (1024x768) projector, 3000 ANSI lumens, USB, wireless/wired LAN	1359.00
LMPD200	Replacement lamp	399.00



SONY

ULTRA-PORTABLE BUSINESS PROJECTORS

These LCD projectors have 2500 ANSI lumens, anti-theft functions and automatic setup. They feature native 4:3 format, 350:1 contrast ratio, 3 LCD panels, 40"-300" diagonal screen size, off & go fan cooling, image flip, 4x digital zoom, +/-20° keystone adjustment, and 6 picture modes. They can accept NTSC, PAL, SECAM, and HDTV up to 1080i and 720p. The VPL-MX25 adds wireless networking functions and USB file viewer.

ITEM	DESCRIPTION	PRICE
VPLMX20	XGA (1024x768) projector, 2500 ANSI lumens	1749.00
VPLMX25	XGA (1024x768) projector, 2500 ANSI lumens, wireless networking	1999.00
LMPM200	Replacement lamp for VPLMX20 and VPLMX25	399.00



SONY

SONY ADVANCED INSTALLATION PROJECTORS

The VPLFH30 features Sony's 3LCD BrightEra Panel technology (as does the VPLFX35), horizontal & vertical lens shift, interchangeable lenses, synchronized lamp/filter replacement, side-by-side image projection, DICOM GSDF simulation, user panel alignment and color matching. The VPLFX30 & VPLFX35 also feature horiz./vert. lens shift, as well as closed captioning, picture muting, keystone correction and 12-bit 3D Digital Gamma Correction.



ITEM	DESCRIPTION	PRICE
VPLFH30	WUXGA (1920x1200), 4300 lumens, 2000:1 contrast ratio	CALL
VPLFX30	XGA (1024x768), 4200 lumens, 2000:1 contrast ratio	2199.00
VPLFX35	XGA (1024x768), 5000 lumens, 2000:1 contrast ratio	3099.00
LMPF272	Replacement lamp for VPLFH30, VPLFX35	COMING SOON!
LMPF230	Replacement lamp for VPLFX30	399.00

SONY COMPACT PROJECTORS

The VPLEW130 has 6 picture modes (Dynamic, Standard, Game, Living, Cinema, Presentation), password protection, picture freeze, 1.3x optical zoom plus digital zoom, and a 1.4-1.8:1 throw ratio. The VLPX100 & -120 also offer the 6 picture modes listed above, as well as 1.3x optical zoom and 1.4-1.8:1 throw ratio. The VLPX145 & -175 offer closed captioning, front ventilation, and picture muting. All models offer synchronized lamp & filter replacement (to minimize maintenance needs) and eco-friendly power-saving modes.



ITEM	DESCRIPTION	PRICE
VPLEW130	Native WXGA, 3000 lumens, 16:10, 2600:1 contrast ratio	859.00
VPLEX100	XGA (1024x768), 2300 lumens, 4:3, 2200:1 contrast ratio	499.00
VPLEX120	XGA (1024x768), 2600 lumens, 4:3, 2200:1 contrast ratio	569.00
VPLEX145	XGA (1024x768), 3100 lumens, 4:3, 4000:1 contrast ratio	710.00
VPLEX175	XGA (1024x768), 3600 lumens, 4:3, 4000:1 contrast ratio	949.00
LMPE211	Replacement lamp for VPLEW130, VPLEX100/120/145/175	299.00

SONY

SONY LARGE VENUE PROJECTORS

The VPLFH500L employs BrightEra technology to improve and maintain color purity by protecting its LCD panels from UV light. Additional features include dual auto-switching lamps, synchronized lamp & filter replacement, side-by-side image projection and DICOM medical training mode. The VPLFX500L features 3D gamma correction, a twin lamp system, synchronized lamp & filter replacement, closed captioning, picture muting and more. Both models have large horizontal and vertical lens shift ranges. Interchangeable lenses are available - please visit our website for more information.



ITEM	DESCRIPTION	PRICE
VPLFH500L	WUXGA (1920x1200), 7000 lumens, 16:10, 2500:1 contrast ratio	CALL
VPLFX500L	XGA (1024x768), 7000 lumens, 2500:1 contrast ratio	CALL
LMPF330	Replacement lamp for VPLFH500L/VPLFX500L	482.94

INPUTS:

RJ-45 DVI RGB D-Sub Component S-Video BNC 5-BNC RCA RCA Stereo Mini Stereo RS-232 RS-232 Mini HDMI USB Screen Trigger Wired Remote WiFi



COMPUTER AV



VIDEO



LIGHTS



MUSIC

